

ความสัมพันธ์ระหว่างระดับน้ำ - ปริมาณน้ำ
สถานี **P.47A** คลองสวนหมาก บ้านโป่งน้ำร้อน อ.คลองลาน จ.กำแพงเพชร
ปี 2566

ระดับน้ำ ม.(รทก.)	ระดับน้ำ ม.(รสม.)	ปริมาณน้ำ ลบ.ม./วิ	ระดับน้ำ ม.(รทก.)	ระดับน้ำ ม.(รสม.)	ปริมาณน้ำ ลบ.ม./วิ	ระดับน้ำ ม.(รทก.)	ระดับน้ำ ม.(รสม.)	ปริมาณน้ำ ลบ.ม./วิ	ระดับน้ำ ม.(รทก.)	ระดับน้ำ ม.(รสม.)	ปริมาณน้ำ ลบ.ม./วิ
118.40	0.20	0.00	118.90	0.70	3.70	119.40	1.20	11.40	119.90	1.70	22.55
118.41	0.21	0.04	118.91	0.71	3.82	119.41	1.21	11.61	119.91	1.71	22.81
118.42	0.22	0.08	118.92	0.72	3.94	119.42	1.22	11.81	119.92	1.72	23.06
118.43	0.23	0.12	118.93	0.73	4.06	119.43	1.23	12.02	119.93	1.73	23.32
118.44	0.24	0.16	118.94	0.74	4.18	119.44	1.24	12.22	119.94	1.74	23.57
118.45	0.25	0.20	118.95	0.75	4.30	119.45	1.25	12.43	119.95	1.75	23.83
118.46	0.26	0.24	118.96	0.76	4.42	119.46	1.26	12.63	119.96	1.76	24.08
118.47	0.27	0.28	118.97	0.77	4.54	119.47	1.27	12.84	119.97	1.77	24.34
118.48	0.28	0.32	118.98	0.78	4.66	119.48	1.28	13.04	119.98	1.78	24.59
118.49	0.29	0.36	118.99	0.79	4.78	119.49	1.29	13.25	119.99	1.79	24.85
118.50	0.30	0.40	119.00	0.80	4.90	119.50	1.30	13.45	120.00	1.80	25.10
118.51	0.31	0.46	119.01	0.81	5.05	119.51	1.31	13.66	120.01	1.81	25.40
118.52	0.32	0.52	119.02	0.82	5.19	119.52	1.32	13.86	120.02	1.82	25.69
118.53	0.33	0.58	119.03	0.83	5.34	119.53	1.33	14.07	120.03	1.83	25.99
118.54	0.34	0.64	119.04	0.84	5.48	119.54	1.34	14.27	120.04	1.84	26.28
118.55	0.35	0.70	119.05	0.85	5.63	119.55	1.35	14.48	120.05	1.85	26.58
118.56	0.36	0.76	119.06	0.86	5.77	119.56	1.36	14.68	120.06	1.86	26.87
118.57	0.37	0.82	119.07	0.87	5.92	119.57	1.37	14.89	120.07	1.87	27.17
118.58	0.38	0.88	119.08	0.88	6.06	119.58	1.38	15.09	120.08	1.88	27.46
118.59	0.39	0.94	119.09	0.89	6.21	119.59	1.39	15.30	120.09	1.89	27.76
118.60	0.40	1.00	119.10	0.90	6.35	119.60	1.40	15.50	120.10	1.90	28.05
118.61	0.41	1.06	119.11	0.91	6.50	119.61	1.41	15.73	120.11	1.91	28.35
118.62	0.42	1.12	119.12	0.92	6.64	119.62	1.42	15.95	120.12	1.92	28.64
118.63	0.43	1.18	119.13	0.93	6.79	119.63	1.43	16.18	120.13	1.93	28.94
118.64	0.44	1.24	119.14	0.94	6.93	119.64	1.44	16.40	120.14	1.94	29.23
118.65	0.45	1.30	119.15	0.95	7.08	119.65	1.45	16.63	120.15	1.95	29.53
118.66	0.46	1.36	119.16	0.96	7.22	119.66	1.46	16.85	120.16	1.96	29.82
118.67	0.47	1.42	119.17	0.97	7.36	119.67	1.47	17.08	120.17	1.97	30.12
118.68	0.48	1.48	119.18	0.98	7.51	119.68	1.48	17.30	120.18	1.98	30.41
118.69	0.49	1.54	119.19	0.99	7.65	119.69	1.49	17.53	120.19	1.99	30.71
118.70	0.50	1.60	119.20	1.00	7.80	119.70	1.50	17.75	120.20	2.00	31.00
118.71	0.51	1.69	119.21	1.01	7.98	119.71	1.51	17.98	120.21	2.01	31.34
118.72	0.52	1.78	119.22	1.02	8.16	119.72	1.52	18.20	120.22	2.02	31.68
118.73	0.53	1.87	119.23	1.03	8.34	119.73	1.53	18.43	120.23	2.03	32.02
118.74	0.54	1.96	119.24	1.04	8.52	119.74	1.54	18.65	120.24	2.04	32.36
118.75	0.55	2.05	119.25	1.05	8.70	119.75	1.55	18.88	120.25	2.05	32.70
118.76	0.56	2.14	119.26	1.06	8.88	119.76	1.56	19.10	120.26	2.06	33.04
118.77	0.57	2.23	119.27	1.07	9.06	119.77	1.57	19.33	120.27	2.07	33.38
118.78	0.58	2.32	119.28	1.08	9.24	119.78	1.58	19.55	120.28	2.08	33.72
118.79	0.59	2.41	119.29	1.09	9.42	119.79	1.59	19.78	120.29	2.09	34.06
118.80	0.60	2.50	119.30	1.10	9.60	119.80	1.60	20.00	120.30	2.10	34.40
118.81	0.61	2.62	119.31	1.11	9.78	119.81	1.61	20.26	120.31	2.11	34.74
118.82	0.62	2.74	119.32	1.12	9.96	119.82	1.62	20.51	120.32	2.12	35.08
118.83	0.63	2.86	119.33	1.13	10.14	119.83	1.63	20.77	120.33	2.13	35.42
118.84	0.64	2.98	119.34	1.14	10.32	119.84	1.64	21.02	120.34	2.14	35.76
118.85	0.65	3.10	119.35	1.15	10.50	119.85	1.65	21.28	120.35	2.15	36.10
118.86	0.66	3.22	119.36	1.16	10.68	119.86	1.66	21.53	120.36	2.16	36.44
118.87	0.67	3.34	119.37	1.17	10.86	119.87	1.67	21.79	120.37	2.17	36.78
118.88	0.68	3.46	119.38	1.18	11.04	119.88	1.68	22.04	120.38	2.18	37.12
118.89	0.69	3.58	119.39	1.19	11.22	119.89	1.69	22.30	120.39	2.19	37.46

ความสัมพันธ์ระหว่างระดับน้ำ - ปริมาณน้ำ
สถานี P.47A คลองสวนหมาก บ้านโป่งน้ำร้อน อ.คลองลาน จ.กำแพงเพชร
ปี 2566

ระดับน้ำ ม.(รทก.)	ระดับน้ำ ม.(รสม.)	ปริมาณน้ำ ลบ.ม./วิ	ระดับน้ำ ม.(รทก.)	ระดับน้ำ ม.(รสม.)	ปริมาณน้ำ ลบ.ม./วิ	ระดับน้ำ ม.(รทก.)	ระดับน้ำ ม.(รสม.)	ปริมาณน้ำ ลบ.ม./วิ	ระดับน้ำ ม.(รทก.)	ระดับน้ำ ม.(รสม.)	ปริมาณน้ำ ลบ.ม./วิ
120.40	2.20	37.80	120.90	2.70	58.80	121.40	3.20	84.30	121.90	3.70	112.65
120.41	2.21	38.20	120.91	2.71	59.25	121.41	3.21	84.84	121.91	3.71	113.29
120.42	2.22	38.59	120.92	2.72	59.70	121.42	3.22	85.38	121.92	3.72	113.92
120.43	2.23	38.99	120.93	2.73	60.15	121.43	3.23	85.92	121.93	3.73	114.56
120.44	2.24	39.38	120.94	2.74	60.60	121.44	3.24	86.46	121.94	3.74	115.19
120.45	2.25	39.78	120.95	2.75	61.05	121.45	3.25	87.00	121.95	3.75	115.83
120.46	2.26	40.17	120.96	2.76	61.50	121.46	3.26	87.54	121.96	3.76	116.46
120.47	2.27	40.57	120.97	2.77	61.95	121.47	3.27	88.08	121.97	3.77	117.10
120.48	2.28	40.96	120.98	2.78	62.40	121.48	3.28	88.62	121.98	3.78	117.73
120.49	2.29	41.36	120.99	2.79	62.85	121.49	3.29	89.16	121.99	3.79	118.37
120.50	2.30	41.75	121.00	2.80	63.30	121.50	3.30	89.70	122.00	3.80	119.00
120.51	2.31	42.15	121.01	2.81	63.82	121.51	3.31	90.24	122.01	3.81	119.70
120.52	2.32	42.54	121.02	2.82	64.34	121.52	3.32	90.78	122.02	3.82	120.40
120.53	2.33	42.94	121.03	2.83	64.86	121.53	3.33	91.32	122.03	3.83	121.10
120.54	2.34	43.33	121.04	2.84	65.38	121.54	3.34	91.86	122.04	3.84	121.80
120.55	2.35	43.73	121.05	2.85	65.90	121.55	3.35	92.40	122.05	3.85	122.50
120.56	2.36	44.12	121.06	2.86	66.42	121.56	3.36	92.94	122.06	3.86	123.20
120.57	2.37	44.52	121.07	2.87	66.94	121.57	3.37	93.48	122.07	3.87	123.90
120.58	2.38	44.91	121.08	2.88	67.46	121.58	3.38	94.02	122.08	3.88	124.60
120.59	2.39	45.31	121.09	2.89	67.98	121.59	3.39	94.56	122.09	3.89	125.30
120.60	2.40	45.70	121.10	2.90	68.50	121.60	3.40	95.10	122.10	3.90	126.00
120.61	2.41	46.13	121.11	2.91	69.02	121.61	3.41	95.66	122.11	3.91	126.70
120.62	2.42	46.56	121.12	2.92	69.54	121.62	3.42	96.22	122.12	3.92	127.40
120.63	2.43	46.99	121.13	2.93	70.06	121.63	3.43	96.78	122.13	3.93	128.10
120.64	2.44	47.42	121.14	2.94	70.58	121.64	3.44	97.34	122.14	3.94	128.80
120.65	2.45	47.85	121.15	2.95	71.10	121.65	3.45	97.90	122.15	3.95	129.50
120.66	2.46	48.28	121.16	2.96	71.62	121.66	3.46	98.46	122.16	3.96	130.20
120.67	2.47	48.71	121.17	2.97	72.14	121.67	3.47	99.02	122.17	3.97	130.90
120.68	2.48	49.14	121.18	2.98	72.66	121.68	3.48	99.58	122.18	3.98	131.60
120.69	2.49	49.57	121.19	2.99	73.18	121.69	3.49	100.14	122.19	3.99	132.30
120.70	2.50	50.00	121.20	3.00	73.70	121.70	3.50	100.70	122.20	4.00	133.00
120.71	2.51	50.43	121.21	3.01	74.23	121.71	3.51	101.26	122.21	4.01	133.75
120.72	2.52	50.86	121.22	3.02	74.76	121.72	3.52	101.82	122.22	4.02	134.50
120.73	2.53	51.29	121.23	3.03	75.29	121.73	3.53	102.38	122.23	4.03	135.25
120.74	2.54	51.72	121.24	3.04	75.82	121.74	3.54	102.94	122.24	4.04	136.00
120.75	2.55	52.15	121.25	3.05	76.35	121.75	3.55	103.50	122.25	4.05	136.75
120.76	2.56	52.58	121.26	3.06	76.88	121.76	3.56	104.06	122.26	4.06	137.50
120.77	2.57	53.01	121.27	3.07	77.41	121.77	3.57	104.62	122.27	4.07	138.25
120.78	2.58	53.44	121.28	3.08	77.94	121.78	3.58	105.18	122.28	4.08	139.00
120.79	2.59	53.87	121.29	3.09	78.47	121.79	3.59	105.74	122.29	4.09	139.75
120.80	2.60	54.30	121.30	3.10	79.00	121.80	3.60	106.30	122.30	4.10	140.50
120.81	2.61	54.75	121.31	3.11	79.53	121.81	3.61	106.94	122.31	4.11	141.25
120.82	2.62	55.20	121.32	3.12	80.06	121.82	3.62	107.57	122.32	4.12	142.00
120.83	2.63	55.65	121.33	3.13	80.59	121.83	3.63	108.21	122.33	4.13	142.75
120.84	2.64	56.10	121.34	3.14	81.12	121.84	3.64	108.84	122.34	4.14	143.50
120.85	2.65	56.55	121.35	3.15	81.65	121.85	3.65	109.48	122.35	4.15	144.25
120.86	2.66	57.00	121.36	3.16	82.18	121.86	3.66	110.11	122.36	4.16	145.00
120.87	2.67	57.45	121.37	3.17	82.71	121.87	3.67	110.75	122.37	4.17	145.75
120.88	2.68	57.90	121.38	3.18	83.24	121.88	3.68	111.38	122.38	4.18	146.50
120.89	2.69	58.35	121.39	3.19	83.77	121.89	3.69	112.02	122.39	4.19	147.25

