

ความสัมพันธ์ระหว่างระดับน้ำ - ความเร็วเฉลี่ย
สถานี P.47A คลองสวนหมาก บ้านโป่งน้ำร้อน อ.คลองลาน จ.กำแพงเพชร

ปี 2566

ระดับน้ำ ม.(รทก.)	ระดับน้ำ ม.(รสม.)	ความเร็วเฉลี่ย ม/วินาที									
118.40	0.20	0.000	118.90	0.70	0.610	119.40	1.20	0.667	119.90	1.70	0.492
118.41	0.21	0.021	118.91	0.71	0.612	119.41	1.21	0.665	119.91	1.71	0.490
118.42	0.22	0.042	118.92	0.72	0.614	119.42	1.22	0.663	119.92	1.72	0.488
118.43	0.23	0.063	118.93	0.73	0.616	119.43	1.23	0.661	119.93	1.73	0.486
118.44	0.24	0.084	118.94	0.74	0.618	119.44	1.24	0.659	119.94	1.74	0.484
118.45	0.25	0.105	118.95	0.75	0.620	119.45	1.25	0.657	119.95	1.75	0.482
118.46	0.26	0.126	118.96	0.76	0.622	119.46	1.26	0.655	119.96	1.76	0.479
118.47	0.27	0.147	118.97	0.77	0.624	119.47	1.27	0.653	119.97	1.77	0.477
118.48	0.28	0.168	118.98	0.78	0.626	119.48	1.28	0.651	119.98	1.78	0.475
118.49	0.29	0.189	118.99	0.79	0.628	119.49	1.29	0.649	119.99	1.79	0.473
118.50	0.30	0.211	119.00	0.80	0.630	119.50	1.30	0.647	120.00	1.80	0.471
118.51	0.31	0.233	119.01	0.81	0.632	119.51	1.31	0.643	120.01	1.81	0.470
118.52	0.32	0.255	119.02	0.82	0.634	119.52	1.32	0.639	120.02	1.82	0.469
118.53	0.33	0.278	119.03	0.83	0.635	119.53	1.33	0.635	120.03	1.83	0.468
118.54	0.34	0.300	119.04	0.84	0.637	119.54	1.34	0.631	120.04	1.84	0.466
118.55	0.35	0.323	119.05	0.85	0.639	119.55	1.35	0.627	120.05	1.85	0.465
118.56	0.36	0.345	119.06	0.86	0.641	119.56	1.36	0.623	120.06	1.86	0.464
118.57	0.37	0.368	119.07	0.87	0.643	119.57	1.37	0.619	120.07	1.87	0.463
118.58	0.38	0.390	119.08	0.88	0.644	119.58	1.38	0.616	120.08	1.88	0.462
118.59	0.39	0.412	119.09	0.89	0.646	119.59	1.39	0.612	120.09	1.89	0.461
118.60	0.40	0.435	119.10	0.90	0.648	119.60	1.40	0.608	120.10	1.90	0.460
118.61	0.41	0.443	119.11	0.91	0.648	119.61	1.41	0.604	120.11	1.91	0.459
118.62	0.42	0.452	119.12	0.92	0.648	119.62	1.42	0.599	120.12	1.92	0.458
118.63	0.43	0.460	119.13	0.93	0.649	119.63	1.43	0.595	120.13	1.93	0.457
118.64	0.44	0.469	119.14	0.94	0.649	119.64	1.44	0.591	120.14	1.94	0.456
118.65	0.45	0.477	119.15	0.95	0.649	119.65	1.45	0.587	120.15	1.95	0.456
118.66	0.46	0.486	119.16	0.96	0.649	119.66	1.46	0.582	120.16	1.96	0.455
118.67	0.47	0.494	119.17	0.97	0.649	119.67	1.47	0.578	120.17	1.97	0.454
118.68	0.48	0.503	119.18	0.98	0.650	119.68	1.48	0.574	120.18	1.98	0.453
118.69	0.49	0.511	119.19	0.99	0.650	119.69	1.49	0.570	120.19	1.99	0.452
118.70	0.50	0.520	119.20	1.00	0.650	119.70	1.50	0.565	120.20	2.00	0.451
118.71	0.51	0.526	119.21	1.01	0.651	119.71	1.51	0.561	120.21	2.01	0.451
118.72	0.52	0.532	119.22	1.02	0.652	119.72	1.52	0.556	120.22	2.02	0.451
118.73	0.53	0.538	119.23	1.03	0.654	119.73	1.53	0.552	120.23	2.03	0.451
118.74	0.54	0.544	119.24	1.04	0.655	119.74	1.54	0.548	120.24	2.04	0.450
118.75	0.55	0.550	119.25	1.05	0.656	119.75	1.55	0.543	120.25	2.05	0.450
118.76	0.56	0.556	119.26	1.06	0.657	119.76	1.56	0.539	120.26	2.06	0.450
118.77	0.57	0.562	119.27	1.07	0.658	119.77	1.57	0.534	120.27	2.07	0.450
118.78	0.58	0.568	119.28	1.08	0.660	119.78	1.58	0.530	120.28	2.08	0.450
118.79	0.59	0.574	119.29	1.09	0.661	119.79	1.59	0.525	120.29	2.09	0.449
118.80	0.60	0.580	119.30	1.10	0.662	119.80	1.60	0.521	120.30	2.10	0.449
118.81	0.61	0.583	119.31	1.11	0.663	119.81	1.61	0.518	120.31	2.11	0.449
118.82	0.62	0.586	119.32	1.12	0.663	119.82	1.62	0.515	120.32	2.12	0.449
118.83	0.63	0.589	119.33	1.13	0.663	119.83	1.63	0.512	120.33	2.13	0.448
118.84	0.64	0.592	119.34	1.14	0.664	119.84	1.64	0.509	120.34	2.14	0.448
118.85	0.65	0.595	119.35	1.15	0.664	119.85	1.65	0.507	120.35	2.15	0.448
118.86	0.66	0.598	119.36	1.16	0.665	119.86	1.66	0.504	120.36	2.16	0.448
118.87	0.67	0.601	119.37	1.17	0.665	119.87	1.67	0.501	120.37	2.17	0.447
118.88	0.68	0.604	119.38	1.18	0.666	119.88	1.68	0.498	120.38	2.18	0.447
118.89	0.69	0.607	119.39	1.19	0.666	119.89	1.69	0.495	120.39	2.19	0.447

ความสัมพันธ์ระหว่างระดับน้ำ - ความเร็วเฉลี่ย
สถานี P.47A คลองสวนหมาก บ้านโป่งน้ำร้อน อ.คลองลาน จ.กำแพงเพชร

ปี 2566

ระดับน้ำ ม.(รทก.)	ระดับน้ำ ม.(รสม.)	ความเร็วเฉลี่ย ม/วินาที									
120.40	2.20	0.447	120.90	2.70	0.465	121.40	3.20	0.494	121.90	3.70	0.522
120.41	2.21	0.447	120.91	2.71	0.465	121.41	3.21	0.495	121.91	3.71	0.523
120.42	2.22	0.447	120.92	2.72	0.466	121.42	3.22	0.495	121.92	3.72	0.524
120.43	2.23	0.448	120.93	2.73	0.466	121.43	3.23	0.496	121.93	3.73	0.525
120.44	2.24	0.448	120.94	2.74	0.466	121.44	3.24	0.496	121.94	3.74	0.525
120.45	2.25	0.448	120.95	2.75	0.467	121.45	3.25	0.497	121.95	3.75	0.526
120.46	2.26	0.449	120.96	2.76	0.467	121.46	3.26	0.497	121.96	3.76	0.527
120.47	2.27	0.449	120.97	2.77	0.468	121.47	3.27	0.498	121.97	3.77	0.528
120.48	2.28	0.449	120.98	2.78	0.468	121.48	3.28	0.498	121.98	3.78	0.528
120.49	2.29	0.450	120.99	2.79	0.468	121.49	3.29	0.499	121.99	3.79	0.529
120.50	2.30	0.450	121.00	2.80	0.469	121.50	3.30	0.499	122.00	3.80	0.530
120.51	2.31	0.450	121.01	2.81	0.470	121.51	3.31	0.500	122.01	3.81	0.531
120.52	2.32	0.450	121.02	2.82	0.470	121.52	3.32	0.500	122.02	3.82	0.532
120.53	2.33	0.450	121.03	2.83	0.471	121.53	3.33	0.501	122.03	3.83	0.533
120.54	2.34	0.451	121.04	2.84	0.472	121.54	3.34	0.501	122.04	3.84	0.534
120.55	2.35	0.451	121.05	2.85	0.473	121.55	3.35	0.502	122.05	3.85	0.535
120.56	2.36	0.451	121.06	2.86	0.473	121.56	3.36	0.502	122.06	3.86	0.536
120.57	2.37	0.451	121.07	2.87	0.474	121.57	3.37	0.503	122.07	3.87	0.537
120.58	2.38	0.451	121.08	2.88	0.475	121.58	3.38	0.503	122.08	3.88	0.537
120.59	2.39	0.451	121.09	2.89	0.476	121.59	3.39	0.504	122.09	3.89	0.538
120.60	2.40	0.452	121.10	2.90	0.476	121.60	3.40	0.504	122.10	3.90	0.539
120.61	2.41	0.452	121.11	2.91	0.477	121.61	3.41	0.505	122.11	3.91	0.540
120.62	2.42	0.453	121.12	2.92	0.478	121.62	3.42	0.505	122.12	3.92	0.541
120.63	2.43	0.453	121.13	2.93	0.478	121.63	3.43	0.506	122.13	3.93	0.542
120.64	2.44	0.453	121.14	2.94	0.479	121.64	3.44	0.506	122.14	3.94	0.543
120.65	2.45	0.454	121.15	2.95	0.480	121.65	3.45	0.507	122.15	3.95	0.543
120.66	2.46	0.454	121.16	2.96	0.480	121.66	3.46	0.507	122.16	3.96	0.544
120.67	2.47	0.455	121.17	2.97	0.481	121.67	3.47	0.508	122.17	3.97	0.545
120.68	2.48	0.455	121.18	2.98	0.482	121.68	3.48	0.509	122.18	3.98	0.546
120.69	2.49	0.456	121.19	2.99	0.482	121.69	3.49	0.509	122.19	3.99	0.547
120.70	2.50	0.456	121.20	3.00	0.483	121.70	3.50	0.510	122.20	4.00	0.547
120.71	2.51	0.457	121.21	3.01	0.484	121.71	3.51	0.510	122.21	4.01	0.548
120.72	2.52	0.457	121.22	3.02	0.484	121.72	3.52	0.511	122.22	4.02	0.549
120.73	2.53	0.457	121.23	3.03	0.485	121.73	3.53	0.511	122.23	4.03	0.550
120.74	2.54	0.458	121.24	3.04	0.485	121.74	3.54	0.512	122.24	4.04	0.551
120.75	2.55	0.458	121.25	3.05	0.486	121.75	3.55	0.512	122.25	4.05	0.552
120.76	2.56	0.459	121.26	3.06	0.487	121.76	3.56	0.513	122.26	4.06	0.553
120.77	2.57	0.459	121.27	3.07	0.487	121.77	3.57	0.513	122.27	4.07	0.554
120.78	2.58	0.459	121.28	3.08	0.488	121.78	3.58	0.514	122.28	4.08	0.555
120.79	2.59	0.460	121.29	3.09	0.488	121.79	3.59	0.514	122.29	4.09	0.556
120.80	2.60	0.460	121.30	3.10	0.489	121.80	3.60	0.515	122.30	4.10	0.557
120.81	2.61	0.461	121.31	3.11	0.489	121.81	3.61	0.515	122.31	4.11	0.557
120.82	2.62	0.461	121.32	3.12	0.490	121.82	3.62	0.516	122.32	4.12	0.558
120.83	2.63	0.462	121.33	3.13	0.490	121.83	3.63	0.517	122.33	4.13	0.559
120.84	2.64	0.462	121.34	3.14	0.491	121.84	3.64	0.518	122.34	4.14	0.560
120.85	2.65	0.462	121.35	3.15	0.491	121.85	3.65	0.519	122.35	4.15	0.561
120.86	2.66	0.463	121.36	3.16	0.492	121.86	3.66	0.519	122.36	4.16	0.562
120.87	2.67	0.463	121.37	3.17	0.493	121.87	3.67	0.520	122.37	4.17	0.562
120.88	2.68	0.464	121.38	3.18	0.493	121.88	3.68	0.521	122.38	4.18	0.563
120.89	2.69	0.464	121.39	3.19	0.494	121.89	3.69	0.522	122.39	4.19	0.564

ความสัมพันธ์ระหว่างระดับน้ำ - ความเร็วเฉลี่ย
สถานี P.47A คลองสวนหมาก บ้านโป่งน้ำร้อน อ.คลองลาน จ.กำแพงเพชร

ปี 2566